

Customisable kit with USB A+C 18W QuickCharge, 2 Schuko socket and 1 empty element connectors white S400 Top

REF. 42432000-130



BASIC INFORMATION

DESCRIPTION

Simon offers a product designed for those workspaces that require all connections in one place. Within the 400 series, we find this complete tabletop kit with USB A+C charger, 2 schuko sockets, and one empty space, in white color. A cutting-edge product with a white finish, the trim cover is made of painted steel with an anodized aluminum profile that is highly resistant to impacts. Simon provides extra safety in the unlikely event of combustion; its covers and fastenings prevent flames from spreading as they are made of self-extinguishing thermoplastic. A product created for intensities of 16 amperes and a voltage of 250 volts.

FINISH

White

COMPATIBILITY

Functions S400. Flexible connection system.

ETIM CLASS

EC002759

MATERIAL

Metal

TECHNICAL INFORMATION

IP RATING

IP30

NOMINAL VOLTAGE (V~)

250 V~

POWER SUPPLY (V~)

230 V~/50 Hz

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

PLATE TYPE

Flat

INSTALLATION AND MAINTENANCE

EXTINGUISHING (°C)

+70 °C (according to standard IEC 60670)

REMOVAL OF THE PLATE

Only with tool

MOUNTING WITHOUT ACCESSORIES

Supplied with all necessary materials for installation.

REMOVAL OF THE FRAME

Only with tool

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Quick connector

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053288238

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.785

PRODUCT NET WEIGHT

0.785

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053288238

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

90

PACKAGING WIDTH

116

PACKAGING LENGTH

213

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

2553125

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.82

PACKAGING NET WEIGHT

0.785

PACKAGING WEIGHT UNIT

KGM