

USB A+C Charger (30W Power Delivery) Simon 100

REF. 10000296-039



BASIC INFORMATION

ETIM CLASS

EC002949

TECHNICAL INFORMATION

FORMAT

USB A + USB C

IP RATING

IP20

USB CURRENT (A)

3,1 A

INDICATOR FUNCTION

No

NOMINAL VOLTAGE (V~)

230 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY
(MM)

7

INSTALLATION DIRECTION

Horizontal

TYPE OF TERMINAL
CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2009/125/EC ErP
(Reg. UE 2019/1782) | EN 62368-1:2014 + A11:2017 | EN 50563:2011 + A1:2013 | EN IEC 63000:2018 ETSI
| EN 301489-34 V2.1.1

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053292051

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053292051

PACKAGING VOLUME

259692

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

57

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

67

PACKAGING NET WEIGHT

0.07

UNITARY PACKAGING GROSS
WEIGHT

0.07

PACKAGING LENGTH

68

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.07

