10AX 250V ~ changeover switch with 1click® Simon 100 connection system

REF. **10000251-039**



BASIC INFORMATION

DESCRIPTION

Half-element 10 AX 250V ~ crossover pushbutton with 1-click connection system belonging to the Simon 100 series, this control mechanism has been manufactured in accordance with current regulations. It is made of metal components with thermoplastic and halogen-free insulation. It is characterized by extraordinary thermal resistance, although the manufacturer recommends placing it in environments with a temperature between 0 and 40°. The Simon 100 series is an innovative and revolutionary collection in terms of usability and appearance. Its mechanisms not only adapt to all kinds of decorative spaces, but at the same time, they energize it. It's a series that marks the before and after of the way people live, not only at home, but also in public places. It is therefore a collection that has found a way to perfectly adapt to design and functionality.

COMPATIBILITY

Frames Simon 100

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC001590

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 1,5 to 2,5 mm

NUMBER OF POSSIBLE ELEMENTS
Half element

INDICATOR FUNCTION
No

CURRENT (A)
10 AX

IP RATING
IP20

TYPE OF MECHANISM
Momentary switch button

NOMINAL VOLTAGE (V~)
250 V~

OPERATING TEMPERATURE RANGE (°C)
0 - 40 °C

POWER SUPPLY (V~)
250 V~

STORAGE TEMPERATURE RANGE (°C)
-25 - 75 °C

VERSION
Unique

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
universal

INSTALLATION TYPE
Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
1 click connection (1 click®)

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD | Directive 2011/65/UE RoHS + post. mod. | EN 60669-1:2018 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.024

PRODUCT NET WEIGHT
0.023

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053146484

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
41.5

PACKAGING WIDTH
127.5

PACKAGING LENGTH
195

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
1031793.75

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.28

PACKAGING NET WEIGHT
0.23

PACKAGING WEIGHT UNIT
KGM


L
N
Puenteo de fase
Phase bridging