Extension 0.5 metres for aluminium column with 2 sides white Simon 500 Cima

REF. **53555201-030**



BASIC INFORMATION

DESCRIPTION

Model of element for Pole for fastening reference 53555102-033, is part of the range of products and Professional components of the Simon 500 Cima series, suitable for Different working environments and installations professionals and domesticas. It is an extension, 0.5 Meters for pole for fastening to the ceiling, with the maximum guarantees of solidity and Versatile for different systems for fastening. Manufactured in aluminium material, Is finished in white colour and tone. Measures 500 x 110 x 127 mm, suitable For elements of different kinds of surfaces and environments. Work professionals.

FINISH

White

MATERIAL

Aluminium

COMPATIBILITY

Simon 500 Cima, Simon 27 Play/Simon K45 (using adaptor) mechanisms and universal Simon mechanisms in combination with the universal box designed specifically for columns.

PACKAGING CONTENTS

Extension and installation manual

ETIM CLASS

EC000795

REMARKS

To ensure the robustness of the total structure, it is only possible to combine one extension per column

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
1 and 2 sides

MAX TEMP DURING CONSTRUCTION WORK (ºC)
+120 ºC

EARTHING RESISTANCE
< 0.05 Ohms

ELECTRICAL PROPERTIES
With electrical continuity

ELECTROMAGNETIC IMMUNITY FOR VDM WIRING
Secured with the metal divider guide supplied in the column.

IP RATING
IP4X

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (ºC)
-25 to +120 ºC

RAL
9003

VERSION
2 sides

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

REMOVAL OF COVER
Only with tool

TYPE OF FASTENING
Using connecting pins

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Suitable for installing in any floor type, raised or concrete. Column secured by applying pressure to the ceiling slab using a telescopic guide.

REMOVAL OF TRIM FRAMES
Only with tool

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + EN 50085-2-4:2009

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053101889

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
2.435

PRODUCT NET WEIGHT
2.435

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053101889

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
3006

PACKAGING WIDTH
119

PACKAGING LENGTH
139

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
0.497

PACKAGING VOLUME UNIT
HLT

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
2.435

PACKAGING WEIGHT UNIT
KGM