

Cover for wire outlet/pull-cord push-button switch Simon 82 Concept

REF. 8200051-096



BASIC INFORMATION

FINISH

Titanium

COMPATIBILITY

Simon 75 mechanisms

PACKAGING CONTENTS

Cover

MATERIAL

Thermoplastic

PACKAGING

Flow pack

ETIM CLASS

EC000011

REMARKS

Available in 7 finishes. It is recommended to choose a frame with the same base colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

1 item

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface or recessed mount

REGULATIONS

WARRANTY

3 years

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN IEC 61058-1:2018 | EN 61058-2-1:2011 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE 8421053279489	UNITARY PACKAGING GROSS WEIGHT 0.03	PACKAGING LENGTH 223
UNITARY PACKAGING HEIGHT 0	PRODUCT NET WEIGHT 0.03	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING WIDTH 0	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING VOLUME 3.017
UNITARY PACKAGING LENGTH 0	PACKAGING EAN 8421053229590	PACKAGING VOLUME UNIT DMQ
UNITARY PACKAGING MEASUREMENT UNIT MMT	UNITS CONTAINED PACKAGING 10	PACKAGING GROSS WEIGHT 0
UNITARY PACKAGING VOLUME 0	PACKAGING HEIGHT 82	PACKAGING NET WEIGHT 0.3
UNITARY PACKAGING VOLUME UNIT MMQ	PACKAGING WIDTH 165	PACKAGING WEIGHT UNIT KGM