

3RCA connector for half element ivory Simon 27 Play

REF. 2701093-031



BASIC INFORMATION

DESCRIPTION

Half element 3RCA connector with ivory finish and available in the Simon 27 Play series, one of the collections with more availability in terms of connectors or mechanisms that you will not be able to find in other brands. In terms of customization is one of the most demanded, therefore, they have interchangeable sleeves and rockers for the different elements. To change the image of a room is as easy as clicking on the frame with any of the covers you have at your disposal, are organized in 4 ranges: Colour, arctic, metal and extreme. They also offer rockers covers to match the sleeves. The transparent sleeves and rockers are the ones that allow total customization because you can capture any image on the sleeves or rockers. In addition, the Simon 27 Play series allows you to choose the antibacterial system as an addition, effective against the transmission of bacteria when coming into contact with switches or plugs, ideal for public centers.

FINISH

Ivory

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

3RCA connector instruction sheet

ETIM CLASS

EC000018

REMARKS

Recommended maximum cable length: 20 metres. For more information see the product instruction sheet.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CABLE SECTION ADMITTED (MM)

From 0,2 to 0,5 mm

NUMBER OF CONNECTORS

3

CONNECTOR TYPE

RCA

NUMBER OF CONTACTS

9

NUMBER OF POSSIBLE ELEMENTS

Half element

FORMAT

RCA

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Insertion

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

Single

NUMBER OF WIRES

9

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

5

CLAW

Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American, Small spaces and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053090251

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.055

PRODUCT NET WEIGHT

0.055

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053090251

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

57

PACKAGING WIDTH

76

PACKAGING LENGTH

76

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

0.329

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.055

PACKAGING NET WEIGHT

0.055

PACKAGING WEIGHT UNIT

KGM