

Enter/wait switch for half element white Simon 27 Play

REF. 27805-64



BASIC INFORMATION

DESCRIPTION

It is a switch with function walk-stop, half element with white finish belonging to the Simon 27 Play series, operates using a power of 250V~ and it is manufactured with metal elements that are presented with halogen-free insulation and thermoplastic trim in full compliance with the current regulation. It has a size of 22.5x45 mm and is characterized by an extraordinary resistance to extreme temperatures. However, it is recommended that the switch is installed in environments with a temperature range between 0 and 40°C to keep it in ideal conditions. As for its maintenance, you can clean it with a soft and dry cloth, avoiding the use of abrasive products containing chlorine among its components. The Simon 27 Play series is a collection colorful and customizable, thanks to its frames in multiple finishes and rockers and its interchangeable sleeves.

FINISH

White

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Enter/wait switch

ETIM CLASS

EC001590

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

POWER SUPPLY (V~)

250 V~

NUMBER OF POSSIBLE ELEMENTS

Half element

STORAGE TEMPERATURE RANGE (°C)

-20 - 75 °C

INDICATOR FUNCTION

Yes

TYPE OF MECHANISM

Pivoting

VERSION

Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

11

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American, Small spaces and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

CLAW

Simon 27

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053090381

PACKAGING VOLUME
365040

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
5

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
54

PACKAGING GROSS WEIGHT
0.135

UNITARY PACKAGING GROSS
WEIGHT
0.027

PACKAGING WIDTH
52

PACKAGING NET WEIGHT
0.135

PRODUCT NET WEIGHT
0.027

PACKAGING LENGTH
130

PACKAGING WEIGHT UNIT
KGM