

CIMA Classic flush-mounted box for flush installation of 3 double positions when installed in a drywall Simon

REF. SM360



BASIC INFORMATION

FINISH

Grey

MATERIAL

Plastic

COMPATIBILITY

With trim and flush-mounted wall frame of 3 double elements Simon Cima Classic.

ETIM CLASS

EC002601

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)

+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION

08

KIT AVAILABILITY

No

NUMBER OF PRE-PUNCHED HOLES 31 X 4.65MM

5

RAL

7011

RECESS DIMENSION (MM)

146 x 185 mm

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

INSTALLATION DIRECTION

Horizontal, Vertical

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436017702

PRODUCT NET WEIGHT

0.37

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

2115750

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436017702

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.37

UNITARY PACKAGING VOLUME

0.3

PACKAGING HEIGHT

65

PACKAGING NET WEIGHT

0.37

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

155

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.37

PACKAGING LENGTH

210