

Downlight 705.24 Tilt Square WW Wide Flood White

REF. 70524030-483



BASIC INFORMATION

DESCRIPTION

With square design, the Downlight 705.24 Square of the range Simon for indoor lighting, provides the space a stylish and minimalist style thanks to its finishes in aluminium, with the guarantee of maximum functionality and innovation of Simon. With photometric Wide Flood optics, has a white neutral colour temperature and includes control system, switching on ON-OFF and can be oriented in 30 ° for greater versatility. With a luminous light flux of 100 lumens for NW, and total luminaire consumption of 15.5 W, it is compatible with power supplies 100-240 Volt and 50-60 Hertz rate. Also, and thanks to LED technology, has a service life of 30,000 hours at 25 °C. With a size of 88 x 86 mm, it is designed for flush installation to ensure the total integration of the product in all types of spaces.

APPLICATION

Ambient lighting

PACKAGING CONTENTS

1 unit

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS/W

1000 lm/15,5W

IP RATING

IP20

ELECTRICAL CLASS

Type 2

OPTICS

Wide Flood

OPERATING TEMPERATURE RANGE (°C)

40 °C maximum

INTEGRATED POWER SUPPLY

No

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

POWER SUPPLY (V~)

100/240 V~

L70 (°C)

30,000 h at 25 °C

POWER (W)

15.5 W

COLOR TEMPERATURE (K)

3100 K

COLOR TYPE

WW

POWER SUPPLY DIMENSIONS (MM)

45x141x26 mm

CONTROL

On/Off

LIGHTING EFFICIENCY (LM/W)

65 lm/W

SERVICE LIFE

30.000 h

CRI

80

LUMENS (LM)

1000 lm

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

MINIMUM INSTALLATION HEIGHT

136

INSTALLATION TYPE

Flush mount

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.612

PRODUCT NET WEIGHT

0.612

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053122020

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

115

PACKAGING WIDTH

150

PACKAGING LENGTH

175

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3.019

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.612

PACKAGING NET WEIGHT

0.612

PACKAGING WEIGHT UNIT

KGM