

# Back kit for 3 elements with 1 Schuko socket outlet, 1 HDMI + USB connector and 1 single R/TV+SAT socket Simon 100

REF. 10010304-039



## BASIC INFORMATION

### DESCRIPTION

Suitable for flush mounting, the back kit for three elements with a lateral Schuko socket outlet for ground connection, an HDMI + USB connector and a unique R-TV + SAR socket is one of the most complete products in the Simon 100 series. There are many advantages that have made it a benchmark for similar products manufactured by other competing companies. Designed for a current of 16A for the Schuko format and complying with ITC regulations in the case of the R-TV + SAT socket, it is compatible with a voltage of 250 V. Its installation, which can be conveniently recessed in a universal box, is by cutting (1 click), Schuko, and screw, for R-TV + SAT / HDMI + USB. The quality of the materials with which all the elements have been made translates into a high resistance, being the operation of the rockers of type push-button rocker switch.

### FINISH

Black

### COMPATIBILITY

Front Kit Simon 100

### ETIM CLASS

EC002846

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### CURRENT (A)

16 A

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

3 elements

### TYPE OF MECHANISM

Push button rocker switch/Insertion

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### INDICATOR FUNCTION

No

### MONOBLOCK

No

### VOLTAGE (V~)

250 V~

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Vertical and horizontal

### KIT INSTALLATION DIRECTION

Vertical and horizontal

### TYPE OF TERMINAL CONNECTION - FUNCTION 2

R-TV+SAT: / HDMI / USB: Screw

### INSTALLATION TYPE

Suitable for flush mounting

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Schuko: 1 click connection (1 click®)

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50083-2:2012\*4 + EN 50173-1:2011\*5 + EN 50581:2012 + IEC 60884-1 Ed. 3.2\*1

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053146033

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING GROSS WEIGHT

0.349

### PRODUCT NET WEIGHT

0.349

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053146033

### UNITS CONTAINED PACKAGING

1

### PACKAGING HEIGHT

75

### PACKAGING WIDTH

88

### PACKAGING LENGTH

230

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

1518000

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

0.348

### PACKAGING NET WEIGHT

0.349

### PACKAGING WEIGHT UNIT

KGM