

## Telephone socket with 6 pins RJ12 champagne Simon 31

REF. 31481-34



### BASIC INFORMATION

#### DESCRIPTION

RJ12 telephonic input with 6 pins with a champagne finish, which belongs to the series Simon 31. This product is installed through a system of screw terminal connection. Have been used for its manufacture metal components with insulation, halogen-free. Meanwhile, the trim is made of metallised thermoplastic. The piece complies with the current regulation and consists of 2 modules. One of its most outstanding qualities is resistance to extreme temperatures, although, to ensure the excellent state of the maintenance of this piece, it is recommended to choose it in environments with a temperature range between 5 and 40°C. With regard to its maintenance, it is sufficient to clean this mechanism with a soft and dry cloth, avoiding abrasive cleaning products. Simon 31 is a series that is characterized by its designs, timeless and functional, which achieve update any space in a matter of seconds.

#### FINISH

Decorative brown

#### PACKAGING CONTENTS

Telephone socket with 6 RJ12 pins

#### ETIM CLASS

EC000018

#### COMPATIBILITY

Simon 31 frames

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### CABLE SECTION ADMITTED (MM)

From 0,3 to 0,5 mm

### NUMBER OF CONNECTORS

1

### CONNECTOR TYPE

RJ12

### NUMBER OF CONTACTS

6

### NUMBER OF POSSIBLE ELEMENTS

1 element

### FORMAT

RJ

### IP RATING

IP20

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### TYPE OF MECHANISM

Insertion

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### VERSION

Single

### NUMBER OF WIRES

2

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

12

### INSTALLATION TYPE

Suitable for surface and flush mounting

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT  
0

UNITARY PACKAGING WEIGHT  
UNIT  
KGM

PACKAGING MEASUREMENT  
UNIT  
MMT

UNITARY PACKAGING WIDTH  
0

PACKAGING EAN  
8421053009017

PACKAGING VOLUME  
3026595

UNITARY PACKAGING LENGTH  
0

UNITS CONTAINED PACKAGING  
10

PACKAGING VOLUME UNIT  
MMQ

UNITARY PACKAGING VOLUME  
0

PACKAGING HEIGHT  
83

PACKAGING GROSS WEIGHT  
0.72

UNITARY PACKAGING GROSS  
WEIGHT  
0.072

PACKAGING WIDTH  
165

PACKAGING NET WEIGHT  
0.72

PRODUCT NET WEIGHT  
0.072

PACKAGING LENGTH  
221

PACKAGING WEIGHT UNIT  
KGM