

Spotlight 740.01 Rail 4000K Spot CR90 White

REF. 74001030-294



BASIC INFORMATION

DESCRIPTION

The 740.01 Rail Spotlight 4000 K Spot CR90 White is a spotlight that stands out for its high resistance thanks to its aluminium body of the highest quality and high thermal design with which it has been manufactured. To do this, it is necessary to unite the textured paint of white colour of its surface-mounted, which gives a appearance stylish and professional ideal for all types of commercial premises or restaurants.

This spotlight issues a white light type, neutral, very attractive, something that is not be possible if not reach a colour temperature of 4000 kelvin, so high. Also we highlight that a quality that makes it a high range spotlight, CRI or index colour rendering index. This is located in this spotlight in a number of 90 about 100, perhaps the most high on the market.

Account with a IP rating of 20, indicating that supports either the powder but a temperature which must not be under no circumstances in environments where the water can coming into contact with the spotlight. Its installation, as in other spotlights of Simon, is of type rail. This greatly facilitated its placement in all types of spaces.

APPLICATION

Accent lighting, General lighting

ETIM CLASS

EC001744

TECHNICAL INFORMATION

IP RATING

IP20

COLOR TYPE

NW

OPTICS

Spot

COLOR TEMPERATURE (K)

4000 K

LIGHTING EFFICIENCY (LM/W)

77,5 lm/W

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

CRI

90

LUMENS (LM)

1550 lm

POWER (W)

20 W

L70 (°C)

30,000 h at 25 °C

LUMENS/W

1550lm/20W

SERVICE LIFE

30 000 h

CHROMATICS CRI ICONS

CRI
90

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Rail

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053215449

PACKAGING VOLUME
4624000

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
1

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
250

PACKAGING GROSS WEIGHT
0.8

UNITARY PACKAGING GROSS
WEIGHT
0.8

PACKAGING WIDTH
136

PACKAGING NET WEIGHT
0.6

PRODUCT NET WEIGHT
0.6

PACKAGING LENGTH
136

PACKAGING WEIGHT UNIT
KGM