
Wait/enter mechanism and viewer set

REF. **75804-39**



BASIC INFORMATION

DESCRIPTION

Start-stop mechanism pack and performance. For correct operation, the diffuser 82096 and the 82013 rocker (not included) are required. The ""pass-wait"" mechanism belongs to the Simon 82 series, operates at 250V~ and is suitable for installation on surfaces and to be recessed. The wire must be in the range of 1.5 mm and 2.5 mm and the stripping of the wire must be 8 mm It is made of metal components with thermoplastic insulation and halogen-free and complies perfectly with the current regulation. The temperature range in which the product operates at full performance ranges from 0 to 40ºC. The Simon 82 series is one of the most efficient in terms of electrical efficiency. Its operation requires rocker and diffuser. Thanks to the design and comfort that it has been planned to offer in this series, you can equip your premises with this mechanism to optimize performance in terms of services.

COMPATIBILITY

Simon 75, Simon 82 Detail, Simon 82 Nature and Simon 82 frames

PACKAGING CONTENTS

Wait/enter pack and instruction sheet

ETIM CLASS

EC000064

REMARKS

Requires rocker and diffuser

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

IP RATING
IP20

OPERATING TEMPERATURE RANGE (°C)
0 - 40 °C

CABLE SECTION ADMITTED (MM)
From 1,5 to 2,5 mm

TYPE OF MECHANISM
Push

POWER SUPPLY (V~)
250 V~

INDICATOR FUNCTION
Yes

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
8

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

CLAW
Simon 27

INSTALLATION TYPE
Suitable for surface and flush mounting

REGULATIONS

REGULATIONS
UNE-EN 61000-3-3:2009

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053019139

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
597780

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.155

PRODUCT NET WEIGHT
0.155

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053019139

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
81

PACKAGING WIDTH
82

PACKAGING LENGTH
90

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
597780

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.155

PACKAGING NET WEIGHT
0.155

PACKAGING WEIGHT UNIT
KGM