

## Downlight 706.21 Flush mount WW Wide Flood 1-10V White

REF. 70621130-483



### BASIC INFORMATION

#### DESCRIPTION

Do you need highlight objects on any vitrina or shelf? Do focus entrances or staircases? Do One lighting, ideal for reception areas, washrooms, or fitting rooms of ropa? So you are in the right place. Simon presents its collection of products Downlight, designed to a type of indoor lighting specific. With this lighting system for indoor Downlight 706.21 WW Wide Flood 1-10V optics have what you need. It offers a lighting, warm concentrada and that offers a sense of comfort as few. This is why it can also be advisable to other zones like living rooms, saltas being or terraces in which we want to have a ambience particular based on the mixture of different lights and to play with the effect that occurs in the sombrías areas. This product has the following reference number: 70621130-483. Finished in white, its power voltage is 100 - 240 volts, being its frequency of 50-60 hz.

#### APPLICATION

Ambient lighting

#### PACKAGING CONTENTS

1 unit

#### ETIM CLASS

EC001744

## TECHNICAL INFORMATION

### FREQUENCY (HZ)

50 - 60 Hz

### DRIVER INCLUDED

Yes

### LUMENS/W

900 lm/15W

### IP RATING

IP44

### ELECTRICAL CLASS

Type 2

### OPTICS

Wide Flood

### OPERATING TEMPERATURE RANGE (°C)

40 °C maximum

### INTEGRATED POWER SUPPLY

No

### PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

### POWER SUPPLY (V~)

100/240 V~

### L70 (°C)

30,000 h at 25 °C

### POWER (W)

15 W

### COLOR TEMPERATURE (K)

3100 K

### COLOR TYPE

WW

### POWER SUPPLY DIMENSIONS (MM)

45x141x26 mm

### CONTROL

1-10 V

### LIGHTING EFFICIENCY (LM/W)

60 lm/W

### SERVICE LIFE

30.000 h


### CRI

80

### LUMENS (LM)

900 lm

### CHROMATICS CRI ICONS



## INSTALLATION AND MAINTENANCE

### MINIMUM INSTALLATION HEIGHT

180

### INSTALLATION TYPE

Flush mount

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

## REGULATIONS

### WARRANTY

3 years 30,000 h

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT	UNITARY PACKAGING WEIGHT	PACKAGING MEASUREMENT
0	UNIT	UNIT
	KGM	MMT
UNITARY PACKAGING WIDTH	PACKAGING EAN	PACKAGING VOLUME
0	8421053122235	3.034
UNITARY PACKAGING LENGTH	UNITS CONTAINED PACKAGING	PACKAGING VOLUME UNIT
0	1	DMQ
UNITARY PACKAGING VOLUME	PACKAGING HEIGHT	PACKAGING GROSS WEIGHT
0	135	0.506
UNITARY PACKAGING GROSS WEIGHT	PACKAGING WIDTH	PACKAGING NET WEIGHT
0.506	145	0.506
PRODUCT NET WEIGHT	PACKAGING LENGTH	PACKAGING WEIGHT UNIT
0.506	155	KGM