Flush-mounted housing Cima Pro of 3 double elements for flush-mounted wall frame Cima Pro of 3 double elements Simon Cima

REF. **SBM350**



BASIC INFORMATION

FINISH
Grey

MATERIAL
Plastic

COMPATIBILITY
With flush-mounted frame Cima Pro of 3 double elements Simon Cima.

ETIM CLASS
EC002601

TECHNICAL INFORMATION

NUMBER OF CLAMP-HOLDER HOLES
10

HEAT RESISTANCE (°C)
+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION
07

KIT AVAILABILITY
Yes

NUMBER OF PRE-PUNCHED HOLES 31 X 4.65MM
8

RAL
7011

RECESS DIMENSION (MM)
156 x 226 mm

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

EXTINGUISHING (°C)
+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

INSTALLATION DIRECTION
Horizontal, Vertical

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436038660

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0.3

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.35

PRODUCT NET WEIGHT
0.35

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436038660

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
55

PACKAGING WIDTH
165

PACKAGING LENGTH
235

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
2132625

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.35

PACKAGING WEIGHT UNIT
KGM