


## Ofiblock Compact assembled and wired with 4 French sockets and 2 rear holes in the last positions

REF. KFC206040LP2/9



### BASIC INFORMATION

#### FINISH

White

#### MATERIAL

Metal,Plastic

#### COMPATIBILITY

Functions of the Simon K45 range and combinable with the Simon Electrical Wiring range.

#### ETIM CLASS

EC002759

## TECHNICAL INFORMATION

### FORMAT

French

### CURRENT (A)

16 A

### IP RATING

IP4X

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### MONOBLOCK

No

### RAL

9003

### VOLTAGE (V~)

250 V~

## INSTALLATION AND MAINTENANCE

### REMOVAL OF COMPONENTS

Only with tool

### REMOVAL OF COVER

Only with tool

### EXTINGUISHING (°C)

+850 °C (according to standard IEC 60670)

### INSTALLATION DIRECTION

Horizontal, Vertical

### REMOVAL OF THE PLATE

Only with tool

### SECURING POSSIBILITIES

Its design allows it to be surface-mounted on the wall, on table-top furniture, under a desk, on a raised floor, a metal surface with magnet, or on a DIN rail using specific fastening accessories.

### REMOVAL OF THE SOCKET

Only with tool

## LOGISTICS INFORMATION

UNITARY EAN CODE 8421053322949	UNITARY PACKAGING GROSS WEIGHT 0.62	PACKAGING LENGTH 411
UNITARY PACKAGING HEIGHT 0	PRODUCT NET WEIGHT 0.58	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING WIDTH 0	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING VOLUME 1356300
UNITARY PACKAGING LENGTH 0	PACKAGING EAN 8421053322956	PACKAGING VOLUME UNIT MMQ
UNITARY PACKAGING MEASUREMENT UNIT MMT	UNITS CONTAINED PACKAGING 1	PACKAGING GROSS WEIGHT 0.62
UNITARY PACKAGING VOLUME 0	PACKAGING HEIGHT 60	PACKAGING NET WEIGHT 0.58
UNITARY PACKAGING VOLUME UNIT MMQ	PACKAGING WIDTH 55	PACKAGING WEIGHT UNIT KGM