

## Double 2-way switch with screw terminal connection system titanium Simon 82 Concept

REF. 8200397-096



### BASIC INFORMATION

#### FINISH

Titanium

#### PACKAGING

Flow pack

#### ETIM CLASS

EC001590

#### COMPATIBILITY

Simon 82

#### PACKAGING CONTENTS

Double mechanism

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### INDICATOR FUNCTION

No

### OPERATING TEMPERATURE

RANGE (°C)

5 - 40 °C

### CABLE SECTION ADMITTED (MM)

2,5 mm

### CURRENT (A)

10 AX

### STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

### NUMBER OF POSSIBLE ELEMENTS

1 item

### IP RATING

IP20

### VERSION

Single

### FORMAT

Set

### TYPE OF MECHANISM

Rocker switch

### VOLTAGE (V~)

250 V~

### MONOBLOCK

No

## INSTALLATION AND MAINTENANCE

### CLAW

Not possible

### INSTALLATION TYPE

Suitable for surface or recessed mount

### TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Fast

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

## REGULATIONS

### WARRANTY

3 years

### REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012 + IEC 60884-1 Ed 3.2

## LOGISTICS INFORMATION

UNITARY EAN CODE

8421053279908

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING  
MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME  
UNIT

MMQ

UNITARY PACKAGING GROSS  
WEIGHT

0.083

PRODUCT NET WEIGHT

0.083

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING EAN

8421053229798

UNITS CONTAINED PACKAGING

5

PACKAGING HEIGHT

82

PACKAGING WIDTH

83

PACKAGING LENGTH

223

PACKAGING MEASUREMENT  
UNIT

MMT

PACKAGING VOLUME

1.518

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.415

PACKAGING WEIGHT UNIT

KGM

# MECANISMOS SIMON 31, 75, 77, 82 Y 88

## Mecanismos básicos / Basic switches



Interruptor unipolar / Single-pole switch  
XXXX101-XXX



Interruptor unipolar / Single-pole switch  
7700101-039



Pulsador / Push button switch  
XXXX150-XXX



Pulsador / Push button switch  
7700150-039



Interruptor bipolar / Double pole switch  
XXXX133-XXX



Conmutador / 2-way switch  
XXXX201-XXX



Conmutador / 2-way switch  
7700201-039



Conmutador cruce / Intermediate switch  
XXXX251-XXX



Conmutador cruce / Intermediate switch  
7700251-039



Grupo 2 interruptores / 2 switches group  
XXXX398-XXX



Pulsador desconexión / Push button disconnection switch  
XXXX152-XXX



Grupo dos conmutadores / 2-way switches group  
XXXX397-XXX



Grupo de pulsadores desconexión / Push button switch disconnection group  
XXXX395-XXX



Grupo conmutador y pulsador / 2-way and push button switch group  
XXXX301-XXX



Interruptor unipolar / Single-pole switch  
XXXX102-XXX



Interruptor con piloto / Push button pilot switch  
7700112-039



Interruptor bipolar / Double pole switch  
XXXX134-XXX



Conmutador / 2-way switch  
XXXX202-XXX



Interrupor unipolar con luminoso / Single-pole switch with light  
XXXX104-XXX



Pulsador con luminoso / Push button switch with light  
XXXX160-XXX



Pulsador con luminoso / Push button switch with light  
7700160-039



Conmutador con luminoso / 2-way switch with light  
XXXX204-XXX



Conmutador cruce con luminoso / Intermediate switch with light  
XXXX254-XXX