

Metallic bucket for adjustable floor box of 6 double elements for floor installation pavement Simon Cima

REF. G600



BASIC INFORMATION

FINISH

Steel

MATERIAL

Steel

COMPATIBILITY

With adjustable floor boxes of 6 double elements for pavement and inspection covers of 6 double elements Simon Series S.

ETIM CLASS

EC000114

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)

+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION

08

RECESS DIMENSION (MM)

463 x 463 mm

KIT AVAILABILITY

No

INSTALLATION AND MAINTENANCE

NUMBER OF CHANNEL ENTRIES

4

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

SCREWS REQUIRED FOR SLAB FIXING

Minimum 2 (1 on each side, diagonal). It is recommended to secure the mounting box with 4 screws for maximum secure fixation

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436013988

PRODUCT NET WEIGHT

8.63

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

16216875

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436013988

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

8.65

UNITARY PACKAGING VOLUME

0.3

PACKAGING HEIGHT

465

PACKAGING NET WEIGHT

8.63

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

75

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

8.63

PACKAGING LENGTH

465