Angled voice and data plate without dust cover 1 element for 1 RJ45 graphite Simon 500 Cima

REF. **50000181-038**



BASIC INFORMATION

DESCRIPTION

The Simon 500 Cima Range, it offers the best and quickest solution to the most demanding market requirements. Simon, with extensive experience in the most modern technologies, prepares for the future any solution required by your company or office, facilitating the installation with extendible modular and safe systems. With the aim of respecting as much as possible to the most rigorous standards of certification, Simon recommends installing angled plates or depth extenders, which guarantees that the cabling has the correct radius of curvature. As Simon is fully compatible with the majority of the brands of the highest quality on the market, we suggest you consult the selection tables in the catalogue or on its website for the most up-to-date version about this compatibility. This is an angled voice and data plate without dust cover and 1 element for 1 RJ45. Graphite finish, Simon 500 Cima range. Suitable for combined MD module. Single Angled Plate. Plate for 1 and 2 RJ45. The plate includes clips for fastening in vertical and horizontal housings without the need for an adaptor. Dimensions 50 x 50 x 21 mm Halogen-free thermoplastic that guarantees no flame propagation in case of fire and low toxicity in case of smoke resistant to corrosion and temperature changes. (-5 to 60 °C). Clean with a soft, dry cloth, do not use abrasive cleaners containing chlorine.

FINISH

Graphite

PACKAGING CONTENTS

Angled voice and data plate without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

IP RATING
IP20

RAL
7021

RJ45 CONNECTORS
Not included in voice and data plate

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RJ45 ADAPTOR MODULE
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

SNAP-FIT RJ45 PLATES
Corresponding to combined MD module

DUST PROTECTION
No

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

SNAP-FIT TYPE
Corresponding to combined MD module

FORMAT
RJ45

NUMBER OF MODULES
1

VERSION
Single

PLATE TYPE
Angled

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053254530

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.013

PRODUCT NET WEIGHT
0.013

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053095164

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
88

PACKAGING WIDTH
123

PACKAGING LENGTH
136

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
1.472

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.26

PACKAGING WEIGHT UNIT
KGM


50
50
5
11
10