# Variable internal angle accessory for Cablomax trunking 170x55mm aluminum

REF. **TKA003213/8**



## BASIC INFORMATION

### DESCRIPTION

Cablomax aluminum channel accessory 170x55 mm. Adapts the channel to interior bends between 65° and 95° between two planes. Made with high-quality thermoplastic materials and with an aluminum finish for proper integration with the channel.

| FINISH | MATERIAL | ETIM CLASS |
| --- | --- | --- |
| Aluminium | Aluminium | EC000867 |

### REMARKS

The product installation can be supplemented with related accessories, as well as combined with K45 functions.

## TECHNICAL INFORMATION

### IK CLASSIFICATION
07

### IP RATING
IP4X

### KIT AVAILABILITY
No

### MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

## INSTALLATION AND MAINTENANCE

### REMOVAL OF COMPONENTS
Only with tool

### REMOVAL OF COVER
Only with tool

### REMOVAL OF THE FRAME
Only with tool

### INSTALLATION TYPE
On Wall and Ceiling

## LOGISTICS INFORMATION

UNITARY EAN CODE
8426436028906

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
3993420

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.29

PRODUCT NET WEIGHT
0.29

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436028906

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
95

PACKAGING WIDTH
186

PACKAGING LENGTH
226

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
3993420

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.29

PACKAGING NET WEIGHT
0.29

PACKAGING WEIGHT UNIT
KGM