

Ledline 815 WW 600 mm

REF. 81530033-983



BASIC INFORMATION

DESCRIPTION

LEDLINE 815 with warm colour temperature with light output of 700 lm / 10 W. It is a rigid LED strip of Simon that integrates perfectly to all kinds of projects, offering a lighting effect that manages to highlight the architecture of those. This piece is designed for installation in surface-mounted, it is in aluminium colour and has a weight of 0,200 kg What is ideal to locate it in environments whose temperatures range between -15 and 40°C for optimum conservation. Thanks to its slimline design and simple installation, it is ideal for public places such as corridors, in cabinets or shelves, highlighting the shapes of the same. The Terminal LED consists of button on-off and, in addition, offers a service life of up to 35000 hours, always be careful equip. In terms of the most common applications of this product, we make reference to hotels and offices.

APPLICATION

Ambient lighting,Alcove lighting,Furniture lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC000282

REMARKS

Luminaires for interconnecting up to a maximum of 150W

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS (LM)

700 lm

IP RATING

IP20

ELECTRICAL CLASS

Type 1

LUMENS/W

700 lm/10W

OPERATING TEMPERATURE RANGE (°C)

-15 - 40 °C

INTEGRATED POWER SUPPLY

Yes

OPTICS

General

POWER SUPPLY (V~)

230 V~

L70 (°C)

35,000 h at 25 °C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

3100 K

LIGHT BEAM APERTURE ANGLE (°)

120°

POWER (W)

10 W

CONTROL

On/Off

COLOR TYPE

WW

SERVICE LIFE

30.000 h


CRI

80

LIGHTING EFFICIENCY (LM/W)

70 lm/W

CHROMATICS CRI ICONS



INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Surface

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT	UNITARY PACKAGING WEIGHT	PACKAGING MEASUREMENT
0	UNIT	UNIT
	KGM	MMT
UNITARY PACKAGING WIDTH	PACKAGING EAN	PACKAGING VOLUME
0	8421053122426	0.586
UNITARY PACKAGING LENGTH	UNITS CONTAINED PACKAGING	PACKAGING VOLUME UNIT
0	1	DMQ
UNITARY PACKAGING VOLUME	PACKAGING HEIGHT	PACKAGING GROSS WEIGHT
0	25	0.228
UNITARY PACKAGING GROSS WEIGHT	PACKAGING WIDTH	PACKAGING NET WEIGHT
0.228	35	0.228
PRODUCT NET WEIGHT	PACKAGING LENGTH	PACKAGING WEIGHT UNIT
0.228	670	KGM