
Frame for 4 elements aluminium interior aluminium Simon 82 Nature

REF. **82947-33**



BASIC INFORMATION

FINISH
Aluminium

COMPATIBILITY
Simon 75, Simon 77 and Simon 82 mechanisms

PACKAGING CONTENTS
Frame with 4 elements

ETIM CLASS
EC000007

REMARKS
It is recommended to use the aluminium finish for rockers and covers.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
1, 2, 3 and 4 elements

INNER FRAME
Aluminium

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
4 elements

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for flush mounting

REGULATIONS

REGULATIONS
UNE-EN 60669-1:2002 + A1:2003 + A2:2009 + UNE 20315-1-1:2009

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053065112

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.2

PRODUCT NET WEIGHT
0.2

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053065112

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
37

PACKAGING WIDTH
127

PACKAGING LENGTH
346

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
0.727

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.2

PACKAGING NET WEIGHT
0.2

PACKAGING WEIGHT UNIT
KGM

314 mm
94 mm
20 mm