IP66 watertight raised floor box kit with 2 french socket outlets + 2 RJ45 connectors category 6 UTP and sheath

REF. **KGH226URF/74**



BASIC INFORMATION

DESCRIPTION

Simon completely renews its range of waterproof floor boxes for indoor and outdoor environments. This is a kit that includes a manual closing mechanism frame with 2 French bases and 2 RJ45 category 6 UTP connectors, designed to be integrated into the included basin for installation in raised flooring with cutting dimensions of 174 x 125 mm. The product design, along with its mechanism frame made of stainless steel, ensures a robust, solid, and secure installation, as it withstands a water jet of 1 kg/cm^2 from any direction, achieving an IP66 protection rating when the cover is closed. It also supports a maximum load of 1500 kg and an IK08 impact resistance. It maintains an optimal cable bending radius for high category voice and data connections. Our accessory for plug connection with a closed cover is available, allowing us to keep our connections active with an IP54 (see reference KFA1001), the possibility to level our box in case of an irregular slab (see reference KFA1003), or the capability to daisy chain multiple boxes (see reference KFA1002).

FINISH

Black

COMPATIBILITY

K45 Solutions

MATERIAL

Polycarbonate

ETIM CLASS

EC000024

TECHNICAL INFORMATION

FORMAT
French

IP RATING
IP66

MAXIMUM LOAD (KG)
2000 Kg - Closed box | 250 Kg - Open box

IK CLASSIFICATION
08

KIT AVAILABILITY
Yes

RECESS DIMENSION (MM)
125x174

CURRENT (A)
16 A

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

EXTINGUISHING (°C)
+650 °C (according to standard IEC 60670)

REMOVAL OF THE SOCKET
Only with tool

NUMBER OF COVER OPENING POSITIONS
1

REMOVAL OF THE FRAME
Only with tool

REGULATIONS

REGULATIONS
Dir. 2014/35/UE LVD|Dir. 2011/65/UE RoHS + post. mod.|EN 50173-1:2018|EN 60670-23:2008|EN IEC 63000:2018 |IEC 60884-1 Ed 3.2|UNE 20315-1-1:2017|UNE 20315-1-2:2017|

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053355787

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
1.325

PRODUCT NET WEIGHT
1.22

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053355787

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
1020

PACKAGING WIDTH
1580

PACKAGING LENGTH
2170

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
3497172000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
1.325

PACKAGING NET WEIGHT
1.22

PACKAGING WEIGHT UNIT
KGM