
2-way switch 10AX 250V~ with screw terminal connection system Simon 73

REF. **73201-39**



BASIC INFORMATION

DESCRIPTION

Functionality and innovation come together in the tilting 2-way switch of the collection Simon 73 Loft to give your room the guarantee maximum speed, convenience and workplace solutions of their electrical mechanisms. Made of metal materials with halogen-free thermoplastic isolated, it protects the room in case of fire, being able to reach maximum temperatures of -25 to 50 °C. At the time of its installation, the 2-way switch Simon 73 Loft is compatible with power supplies with a voltage of 250 Volt and an intensity of 10 AX, allowing a cable section of 1.5 to 2.5 mm and stripping of the 13 mm With screw terminal connection, allows the possibility of implementing the signaling function via the use of cradle blinking and rocker with viewer.

COMPATIBILITY

Simon 73 Loft and Simon 73 frames

PACKAGING CONTENTS

Mechanism

ETIM CLASS

EC001590

REMARKS

Possibility of implementing indicator function using a signal light support and rocker with viewer.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 1,5 to 2,5 mm

NUMBER OF POSSIBLE ELEMENTS
1 element

INDICATOR FUNCTION
No

CURRENT (A)
10 AX

IP RATING
IP20

TYPE OF MECHANISM
Pivoting

MONOBLOCK
No

NOMINAL VOLTAGE (V~)
250 V~

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
13

INSTALLATION TYPE
Suitable for surface mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

REGULATIONS

REGULATIONS
No aplica

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053255346

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.027

PRODUCT NET WEIGHT
0.027

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053028704

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
52

PACKAGING WIDTH
105

PACKAGING LENGTH
220

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1201200

PACKAGING VOLUME UNIT
MMQ


PACKAGING GROSS WEIGHT
0.305

PACKAGING NET WEIGHT
0.27


PACKAGING WEIGHT UNIT
KGM

MECANISMOS SIMON 73


Mecanismos básicos / Basic switches




Interruptor unipolar / Single-pole switch
73101-39




Pulsador / Push button switch
73150-39



Interruptor bipolar / Double pole switch
73131-39




Conmutador cruce / Intermediate switch
73251-39



Conmutador / 2-way switch
73201-39

Mecanismos con luminoso / Switces with light



Pulsador / Push button switch
73160-39