

## Downlight 705.23 Directional WW Wide Flood White

REF. 70523030-483



### BASIC INFORMATION

#### DESCRIPTION

Element of lighting Indoor reference number 70523030-483, belonging to the range Downlight designed Direct to direct the light in small work spaces. Model of protector category A With a great technical features, a type of colour and lighting WW Values of optics WIDE FLOOD, for a light continuous, stable and has With the highest possible performance. Control of power of the class On-off and with a few numbers of power of Up to 15,5W, it is a model in Colour and colour white base designed for surface mount installations with dimensions Of 88x86mm ideal for confined spaces.

#### APPLICATION

Ambient lighting

#### PACKAGING CONTENTS

1 unit

#### ETIM CLASS

EC001744

## TECHNICAL INFORMATION

### FREQUENCY

50 - 60 Hz

### DRIVER INCLUDED

Yes

### LUMENS/W

1000 lm/15,5W

### IP RATING

IP20

### ELECTRICAL CLASS

Type 2

### OPTICS

Wide Flood

### OPERATING TEMPERATURE RANGE (°C)

40 °C maximum

### INTEGRATED POWER SUPPLY

No

### PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

### POWER SUPPLY (V~)

100/240 V~

### L70 (°C)

30,000 h at 25 °C

### POWER (W)

15.5 W

### COLOR TEMPERATURE (K)

3100 K

### COLOR TYPE

WW

### POWER SUPPLY DIMENSIONS (MM)

45x141x26 mm

### CONTROL

On/Off

### LIGHTING EFFICIENCY (LM/W)

65 lm/W

### SERVICE LIFE

30.000 h

### CRI

80

### LUMENS (LM)

1000 lm

### CHROMATICS CRI ICONS

CRI  
80

## INSTALLATION AND MAINTENANCE

### MINIMUM INSTALLATION HEIGHT

136

### INSTALLATION TYPE

Flush mount

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

## REGULATIONS

### WARRANTY

3 years 30,000 h

## LOGISTICS INFORMATION

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING GROSS WEIGHT

0.544

### PRODUCT NET WEIGHT

0.544

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053122006

### UNITS CONTAINED PACKAGING

1

### PACKAGING HEIGHT

115

### PACKAGING WIDTH

150

### PACKAGING LENGTH

175

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

3.019

### PACKAGING VOLUME UNIT

DMQ

### PACKAGING GROSS WEIGHT

0.544

### PACKAGING NET WEIGHT

0.544

### PACKAGING WEIGHT UNIT

KGM