

Cable outlet for cable up to 1.5 mm, with integrated terminal block 3 Simon 100 terminals

REF. 10000801-039



BASIC INFORMATION

DESCRIPTION

Cable outlet designed for cables up to 1.5 mm, with integrated terminal block with 3 terminals from the Simon 100 series. Its voltage is 400V and its type of clamping is 400V. As for its operation, it is by screw. This cable mechanism is suitable for flush mounting and fully compatible with Simon 100 frames. The stripping of the supporting wire is 6 mm and works perfectly in places with a temperature between 0 and 40 °C, although it can withstand extreme temperatures ranging from -25 to 75 °C. Its design follows standards EN 60998-2-1: 2004 (1 module); IEC 60581: 2012 And have been used in the manufacture of metal components with halogen-free thermoplastic insulation. In the new Simon 100 series, the user is the center of attention and it is an easy-to-install product line that integrates very well with both architecture and technology.

COMPATIBILITY

Frames Simon 100

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000011

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

No

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

POWER SUPPLY (V~)

400 V~

NUMBER OF POSSIBLE ELEMENTS

1 element

TYPE OF MECHANISM

Insertion

VERSION

Unique

NOMINAL VOLTAGE (V~)

400 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

6

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

CLAW

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60998-2-1:2004

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053145876

PACKAGING VOLUME
546000

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
5

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
40

PACKAGING GROSS WEIGHT
0.13

UNITARY PACKAGING GROSS
WEIGHT
0.13

PACKAGING WIDTH
70

PACKAGING NET WEIGHT
0.13

PRODUCT NET WEIGHT
0.026

PACKAGING LENGTH
195

PACKAGING WEIGHT UNIT
KGM