

## Push button bell unipolar 16A 127V with screw terminal connection white Simon 25 Plus

REF. 25150-30



### BASIC INFORMATION

#### FINISH

White

### TECHNICAL INFORMATION

#### CABLE SECTION ADMITTED (MM)

3,3 mm

#### CURRENT (A)

16 A

#### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

#### NOMINAL VOLTAGE (V~)

127/220 V~

#### POWER SUPPLY (V~)

127/220 V~

## INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY  
(MM)

11

TYPE OF TERMINAL  
CONNECTION - FUNCTION 1

Fast

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

22.2

UNITARY PACKAGING GROSS  
WEIGHT

23

PACKAGING LENGTH

224

UNITARY PACKAGING WIDTH

40.5

PRODUCT NET WEIGHT

23

PACKAGING MEASUREMENT  
UNIT

MMT

UNITARY PACKAGING LENGTH

41.2

UNITARY PACKAGING WEIGHT  
UNIT

GRM

PACKAGING VOLUME

0.857

UNITARY PACKAGING  
MEASUREMENT UNIT

MMT

PACKAGING EAN

7506020300272

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0.037

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.46

UNITARY PACKAGING VOLUME  
UNIT

DMQ

PACKAGING HEIGHT

45

PACKAGING NET WEIGHT

460



PACKAGING WIDTH

85


PACKAGING WEIGHT UNIT

KGM

## VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO



## DIAGRAMA DE MONTAJE



\*Placa y chasis NO incluidos

## DIAGRAMA DE CONEXIÓN

