Push-button switch with bell symbol 10A 250V~ and fast terminal connection system champagne Simon 31

REF. **31650-34**



BASIC INFORMATION

DESCRIPTION

Push-button switch in champagne colour finish of the Simon 31 series with engraved bell and quick terminal connection system. Its current is 10A and its voltage with which operates is 250V and it has a rocker operation type. It measures 64x65 mm and is manufactured with metal components with halogen-free insulation and trim in metallised thermoplastic and is in accordance with regulations UNE-EN 60669-1:2002 + A1:2003 + A2:2009. It can be installed perfectly in rooms with a temperature of between 5 and 40ºC, although it can perfectly withstand extreme temperatures of -25a 50ºC, approximately. In addition, it supports a cable section of 1.5 to 2.5 mm, approximately, and with stripped wiring of 11mm. To clean this push-button switch, you just need a soft, dry cloth, and never use abrasive cleaners or cloths containing chlorine, because the push-button switch may be become damaged and not operate correctly.

FINISH

Champagne

COMPATIBILITY

Simon 31 frames

PACKAGING CONTENTS

Mechanism with rocker

REMARKS

Available in 5 finishes. It is recommended to choose a frame the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 1,5 to 2,5 mm

NUMBER OF POSSIBLE ELEMENTS
1 element

INDICATOR FUNCTION
No

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM
Pivoting

NOMINAL VOLTAGE (V~)
250 V~

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

VERSION
Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
11

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

INSTALLATION TYPE
Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Fast

REGULATIONS

REGULATIONS
UNE-EN 60669-1:2002 + A1:2003 + A2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.09

PRODUCT NET WEIGHT
0.09

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053009147

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
83

PACKAGING WIDTH
165

PACKAGING LENGTH
221

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
3026595

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.9

PACKAGING NET WEIGHT
0.9

PACKAGING WEIGHT UNIT
KGM