Spotlight 640.30 Surface mount Amber Wide Flood White

REF. **64030030-482**



BASIC INFORMATION

DESCRIPTION

Element for Indoor lighting reference number 64030030-482, it is model spotlight of the range Professional 640, specially designed for indoor and work environments Surfaces. Professional spotlight with excellent Technical features, details of colour output Amber, and a value of Character WIDE FLOOD optics, giving a clear, constant light and stable. It has Controlling the type ON-OFF, with values of power up to 23 W. Model ideal for surface mount installation , which measures 185x130 () mm mm, colour, shades and finishes in white, being A piece of high technical quality and appearance to the lighting.

APPLICATION

General lighting

TECHNICAL INFORMATION

FREQUENCY
50 - 60 Hz

IP RATING
IP20

OPERATING TEMPERATURE RANGE (ºC)
35 ºC maximum

POWER SUPPLY (V~)
120/240 V~

COLOR TEMPERATURE (K)
2500 K

CONTROL
On/Off

DRIVER INCLUDED
Yes

ELECTRICAL CLASS
type 1

L70 (ºC)
100,000 h at 25º C

L90 (ºC)
30,000 h at 25 ºC

COLOR TYPE
Amber

LIGHTING EFFICIENCY (LM/W)
87 lm/W

LUMENS (LM)
2600 lm

LUMENS/W
2600 lm/30W

OPTICS
Wide Flood

PHOTOBIOLOGICAL CLASSIFICATION
Exempt category

POWER (W)
30 W

SERVICE LIFE
50.000 h

INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES
Suspended

INSTALLATION TYPE
Surface

REGULATIONS

WARRANTY
5 years 50,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
1.754

PRODUCT NET WEIGHT
1.59

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053141670

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
155

PACKAGING WIDTH
160

PACKAGING LENGTH
250

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
6200000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
1.754

PACKAGING NET WEIGHT
1.59

PACKAGING WEIGHT UNIT
KGM