

## Charger USB type A+C port 18W QuickCharge black Simon K45

REF. K126F/14



### BASIC INFORMATION

#### FINISH

Graphite

#### MATERIAL

Thermoplastic

#### COMPATIBILITY

K45 Solutions. 500 Cima solutions using adapter 50012088-038.

#### ETIM CLASS

EC002949

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### RAL

7021

### NUMBER OF CONNECTORS

2

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### RECESS DIMENSION (MM)

40

### CONNECTOR TYPE

USB A + USB C

### USB CHARACTERISTICS

QC 18W

### NUMBER OF CONTACTS

2

### PLATE TYPE

Flat

### QUICK CHARGE USB

Yes

### FORMAT

USB A + USB C

### POWER SUPPLY (V~)

230 V~

### NUMBER OF WIRES

2

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

10

### EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

### REMOVAL OF CONNECTOR

Only with tool

### INSTALLATION DIRECTION

Horizontal, Vertical

### TYPE OF TERMINAL CONNECTION - FUNCTION 2

Screw

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053313435

### UNITARY PACKAGING HEIGHT

55

### UNITARY PACKAGING WIDTH

65

### UNITARY PACKAGING LENGTH

65

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING VOLUME

232375

### UNITARY PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING GROSS WEIGHT

0.08

### PRODUCT NET WEIGHT

0.08

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053313435

### UNITS CONTAINED PACKAGING

1

### PACKAGING HEIGHT

55

### PACKAGING WIDTH

65

### PACKAGING LENGTH

65

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

232375

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

0.82

### PACKAGING NET WEIGHT

0.08

### PACKAGING WEIGHT UNIT

KGM