

Flat voice and data plate half element with dust cover for 1 Systimax® RJ45 connector white Simon 27 Play

REF. 27099-34



BASIC INFORMATION

DESCRIPTION

Plate of voice and data flat plate, half element, with dust cover with 1 RJ45 connector Systimax white in colour of the Simon 27 Play series is available in 3 different finishes, but it is always recommended to choose the frame of the same colour of the plate that we select. The plate of voice board is RJ45 format. The flat voice and data plate is of individual version, this model of voice and data plate includes half an element and a module but does not include signaling function. The limit of the recommended temperature range is from 5 to 40°C reaching maximum temperatures of -25 to 50°C. It is suitable for installations in surface mounting or flush mounting. The voice and data plate does not apply regulation. The manufacturing material of the voice and data plate is thermoplastic, with a white plastic finish. The dimensions of the cover are 22,5x45mm. This voice and data plate is flat, compatible with AVAYA connectors. It has a connector and a dust shutter, includes an RJ45 adaptor module. This model of voice and data plate does not include any type of engraving.

FINISH

White

MATERIAL

Plastic

PACKAGING CONTENTS

Plate

SYMBOL

Without engravings

COMPATIBILITY

Simon 75 connectors

ETIM CLASS

EC000018

REMARKS

Available in 5 finishes. It is recommended to choose a frame the same colour as the selected plate.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

COMPATIBLE WITH CONNECTORS

AVAYA

NUMBER OF CONNECTORS

1

DUST SHUTTER

Yes

NUMBER OF POSSIBLE ELEMENTS

Half element

FORMAT

RJ45

INDICATOR FUNCTION

No

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

NUMBER OF MODULES

1 module

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

PLATE TYPE

Flat

RJ45 ADAPTOR MODULE

Included

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053072042

UNITARY PACKAGING HEIGHT

23

UNITARY PACKAGING WIDTH

22

UNITARY PACKAGING LENGTH

47.2

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0.024

UNITARY PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING GROSS WEIGHT

0.007

PRODUCT NET WEIGHT

0.006

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053072042

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

86

PACKAGING WIDTH

162

PACKAGING LENGTH

212

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

2.954

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.068

PACKAGING NET WEIGHT

0.06

PACKAGING WEIGHT UNIT

KGM

VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO





DIAGRAMA DE MONTAJE



*Placa y chasis NO incluidos