

Set of 2 claws for securing Ofiblock Line aluminium profiles to furniture Simon K45

REF. KSF7



BASIC INFORMATION

DESCRIPTION

Set of 2 claws for fastening in furniture for Ofiblock Line aluminium profiles of the series Simon K45. These claws, you need to install the profiles in the furnishings are manufactured in galvanised steel. It is a material of the highest quality and a security extreme. A feature to be taken into account is that these claws for fastening of set with the Ofiblock Line profile, without any type of restriction of thickness of the furniture in question. Also, it can withstand high temperatures, which ensures that the security during the operation of the electrical devices is maximum. Specifically, it can withstand temperatures up to + 60 degrees centigrade temperature. The series Simon K45 is very versatile, because in its catalog includes all types of profiles and accessories to be able to install the products of the house in the furniture, walls, or even raised floor. It finishes, with many modern and modern, becoming a perfect solution for an infinite number of spaces.

FINISH

Stainless steel

MATERIAL

Metal

COMPATIBILITY

Simon K45 Ofiblock Line aluminium profile

PACKAGING CONTENTS

Set of 2 claws for securing to furniture and installation manual.

ETIM CLASS

EC002649

REMARKS

The unit+Ofiblock Line profile can be fastened regardless of the thickness of the furniture.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

HEAT RESISTANCE (°C)

+125°C (according to standard IEC 60670)

INSULATION RESISTANCE (V-MΩ)

>5 MOhm at 500 V

IP RATING

IP4X

KIT AVAILABILITY

No

LINKABLE

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

INSTALLATION AND MAINTENANCE

CLAW RANGE OF OPERATION (MM)

Between 10 and 50 mm

EXTINGUISHING (°C)

+850 °C (according to standard
IEC 60670)

TYPE OF FASTENING

By fitting the screws on the claws
and subsequent connection of
these on the rear DIN rail on the
Ofiblock Line profile.

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053091982

PRODUCT NET WEIGHT

0.054

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

337500

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053091982

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.054

UNITARY PACKAGING VOLUME

337500

PACKAGING HEIGHT

60

PACKAGING NET WEIGHT

0.054

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

75

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.054

PACKAGING LENGTH

75