

Frame with foldable cover for flush-mounted wall box Cima Pro for 3 double elements aluminum Simon Cima

REF. SBMT302/8



BASIC INFORMATION

FINISH

Aluminium

MATERIAL

Aluminium

COMPATIBILITY

With Simon Cima and Simon 27 Play/Simon K45 (via adapter) mechanisms.

ETIM CLASS

EC000007

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)

+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION

07

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

9006

RECESS DIMENSION (MM)

156 x 226 mm

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

REMOVAL OF THE FRAME

Only with tool

INSTALLATION DIRECTION

Horizontal, Vertical

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436045699

PRODUCT NET WEIGHT

0.41

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

1744875

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436045699

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.41

UNITARY PACKAGING VOLUME

1744875

PACKAGING HEIGHT

55

PACKAGING NET WEIGHT

0.41

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

135

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.41

PACKAGING LENGTH

235