

Trim plate for cable outlet for 1 element black Simon K45

REF. K10/14



BASIC INFORMATION

DESCRIPTION

One of the best-selling products of the series Simon K45 is the Trim plate for cabling for one element in black colour. Incorporate rings to allow the cabling fixing using clamps and having a wire cross-section of 2.005 mm² are two of the great advantages of this element. Suitable for surface-mounted and recess, the dimensions of this plate are 45 x 45 x 9 mm. Other outstanding characteristics is its hardness and resistance of its structure, which has been manufactured with thermoplastic free of halogen components which guarantees no flame propagation in case of fire and the low toxicity in case of smoke. Also, the versions of plates provide access through a tube or cable gland with the combination of separate cabling and by means of 20 x 30 mm trunking. All this with the best quality-price ratio that there are on the market today.

FINISH

Black

MATERIAL

Plastic

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

PACKAGING CONTENTS

Plate for cable outlet

ETIM CLASS

EC000011

REMARKS

Includes rings to fasten the cables using cable ties. Allows access for a wire cross section of 2,005 mm²

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

No

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

AVAILABLE IN

Plate versions with access through a tube or cable gland, using a combination of separate cabling and 20x30 trunking

IP RATING

IP20

NUMBER OF MODULES

Half

KIT AVAILABILITY

No

RAL

7021

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Fixing by direct snap-fit, no tools needed

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

REMOVAL OF THE PLATE

Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.011

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

911400

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436036376

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0.3

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.22

UNITARY PACKAGING VOLUME

UNIT

MMQ

PACKAGING HEIGHT

70

PACKAGING NET WEIGHT

0.22

UNITARY PACKAGING GROSS
WEIGHT

0.011

PACKAGING WIDTH

93

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

140