Flat voice and data plate without dust cover for 1 RJ45 Infra+® for 1 element graphite Simon 500 Cima

REF. **50015185-038**



BASIC INFORMATION

DESCRIPTION

Flat base plate of voice and data with finished in graphite 1 element for 1 RJ45 connector Infra + ®. With dimensions of 50x50x11 mm, this product is in full compliance with the regulation. It is made of thermoplastic, a material halogen-free that provides greater protection in case of fire. It is more, prevent the spread of the fire and guarantees reduced toxicity if there is smoke. The plate, in addition, it incorporates clips to facilitate its fastening in vertical and horizontal enclosures without the need of adapter. Does not include RJ45 connectors, but the module adapter. For maintenance, the manufacturer advises you to use a soft and dry cloth. It is in the Simon 500 Cima series, a collection designed to improve the workplace solutions of the spaces through its wide range of mechanisms, which ensure high speed data transmission.

FINISH

Graphite

PACKAGING CONTENTS

Flat voice and data plate without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

COMPATIBLE WITH CONNECTORS
Infra+® RJ45 connectors.

RJ45 CONNECTORS
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (ºC)
+60 ºC

DUST PROTECTION
No

FORMAT
RJ45

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (ºC)
-5 to 60 ºC

NUMBER OF MODULES
1

PLATE TYPE
Flat

RAL
7021

RJ45 ADAPTOR MODULE
Included in voice and data plate

SNAP-FIT RJ45 PLATES
Infra+® RJ45 connectors

SNAP-FIT TYPE
Infra+® RJ45 connectors

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
UNE-EN 60.670-1:2006

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.027

PRODUCT NET WEIGHT
0.027

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053096857

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
54

PACKAGING WIDTH
52

PACKAGING LENGTH
215

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0.604

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.27

PACKAGING WEIGHT UNIT
KGM


50
50
5
11