

**Single rocker with light symbol for push button aluminium  
Simon 82**

REF. 82018-33



## BASIC INFORMATION

### DESCRIPTION

This individual rocker with light symbol for push-button switch, it is of the Simon 82 series and commitment to a stylish finished in aluminium. This is of individual version, for a single element, is available in a catalogue in six different finishes, which allows combinations very eye-catching., but it is recommended to choose the frame in the same tone as the baseboard of the selected rocker. The Simon 82 rocker does not include a signaling function and can be installed on surface-mounted or recessed, measures lamps 55 x 55 millimetres in total and is made of galvanized thermoplastic, a material that optimises the operation of the product in extreme temperatures that oscillate between the most low temperatures (-25 degrees) to the highest (+ 50 degrees centigrade.) for its maintenance, it is only necessary to clean it with a soft, dry cloth, free of any abrasive cleaning product that has chlorine or other chemical in its formulation.

### FINISH

Aluminium

### MATERIAL

Plastic

### PACKAGING CONTENTS

Single rocker and fastening bracket

### SYMBOL

Light

### COMPATIBILITY

Simon 75 and Simon 77 mechanisms

### ETIM CLASS

EC000011

### REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

1 element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### INDICATOR FUNCTION

No

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

## LOGISTICS INFORMATION

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING WIDTH

0

### PACKAGING EAN

8421053052402

### PACKAGING VOLUME

597780

### UNITARY PACKAGING LENGTH

0

### UNITS CONTAINED PACKAGING

5

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING VOLUME

0

### PACKAGING HEIGHT

81

### PACKAGING GROSS WEIGHT

0.095

### UNITARY PACKAGING GROSS WEIGHT

0.019

### PACKAGING WIDTH

82

### PACKAGING NET WEIGHT

0.095

### PRODUCT NET WEIGHT

0.019

### PACKAGING LENGTH

90

### PACKAGING WEIGHT UNIT

KGM