Spotlight DROP 3000 K Spot On Board Dimmer White

REF. **91892611-300**



BASIC INFORMATION

DESCRIPTION

Do you already know the spotlights Drop? This is a range of products belonging to the collection of architectural lighting of SIMON, the one that allows the maximum freedom creative. AND making it with this range of spotlights. AND is that, thanks to the fact that it is possible to 360 ° and adapt to the most far-fetched corners, it is possible to give free rein to the imagination and inspiration to create spaces. It also, it is perfect to create modular systems with other luminaires of its range, or other collections.

With Spot 18º Luminaire optics and colour temperature of 3000 K, perfect for position, place suspended, in the ceiling or wall. The lighting efficiency of up to 81 lm / W and, on the other hand, it has 1450 lm of light flux of light.

To perform consultations and be able to locate quickly this spotlight Drop in the catalogue, we recommend you note this Art.No. that identifies: 91892611-300. Consult with our customer service if as well as you need and we 'll answer all your doubts very soon.

BODY MATERIAL

Die-cast aluminium

PACKAGING CONTENTS

1 Unit

APPLICATION

Domestic,Office,Retail,Hotel,Contract

ETIM CLASS

EC001744

TECHNICAL INFORMATION

IP RATING
IP20

OPERATING TEMPERATURE RANGE (°C)
0 - 35 °C

POWER SUPPLY (V~)
48 V~

RAL
9016

COLOR TEMPERATURE (K)
3000 K

CONTROL
On Board Dimmer

CRI
90

DIRECTIONAL
Yes

DRIVER INCLUDED
Yes

ELECTRICAL CLASS
III

ENERGY EFFICIENCY
A+

L70 (°C)
150000h at 25°C

L90 (°C)
40000h at 25°C

COLOR TYPE
NW

LIGHTING EFFICIENCY (LM/W)
hasta 81 lm/W

LUMENS (LM)
1450 lm

NUMBER OF LUMINAIRES
1

MACADAM STEPS
<3 Step MacAdam

OPTICS
Spot 18°

POWER (W)
19 W

CHROMATICS CRI ICONS

CRI
90

PHOTOMETRY ASSETS – POLAR



INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended/Wall-mounted/Ceiling

REGULATIONS

EAC MARKED

No

ECORRAE MARKED

Yes

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE
8436547049677

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.795

PRODUCT NET WEIGHT
0.62

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8436547049677

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
83

PACKAGING WIDTH
180

PACKAGING LENGTH
298

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
4452120

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.68

PACKAGING NET WEIGHT
0.62

PACKAGING WEIGHT UNIT
KGM