


Ledline 815 WW 1200mm

REF. 81531033-983



BASIC INFORMATION

DESCRIPTION

LEDLINE 815 of the Simon series, with type optics, colour temperature of 3100 K and a light intensity of 1400 lm / 18 W Its power supply is 230 V and has a frequency of 50 / 60 Hz and control of type On / Off. It works in places with a temperature located between the -15 and 40°C, approximately, and offers a service life of a 35000 hours, more or less, operating at 25 ° C. This LEDLINE it is luminaires, interconnectable up to 150 W and its installation can be carried out in surface-mounted. It measures 1200x32x22 mm and has a weight of 300 g and finished in aluminium colour. The LEDLINE 815 of the range of Simon is perfect for lighting ambience, coving or trivialidades and is perfect for use in both hotels and in offices, since its line extra-flat and their easy installation make overhang corridors, cabinets and on shelves.

APPLICATION

Ambient lighting,Alcove
lighting,Furniture lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC000282

REMARKS

Luminaires for interconnecting up to a maximum of 150W

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS (LM)

1400 lm

IP RATING

IP20

ELECTRICAL CLASS

Type 1

LUMENS/W

1400 lm/18W

OPERATING TEMPERATURE RANGE (°C)

-15 - 40 °C

INTEGRATED POWER SUPPLY

Yes

OPTICS

General

POWER SUPPLY (V~)

230 V~

L70 (°C)

35,000 h at 25 °C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

3100 K

LIGHT BEAM APERTURE ANGLE (°)

120°

POWER (W)

18 W

CONTROL

On/Off

COLOR TYPE

WW

SERVICE LIFE

30.000 h

CRI

80

LIGHTING EFFICIENCY (LM/W)

78 lm/W

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Surface

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053122433

PACKAGING VOLUME

0.586

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

25

PACKAGING GROSS WEIGHT

0.388

UNITARY PACKAGING GROSS WEIGHT

0.388

PACKAGING WIDTH

35

PACKAGING NET WEIGHT

0.388

PRODUCT NET WEIGHT

0.388

PACKAGING LENGTH

670

PACKAGING WEIGHT UNIT

KGM