

Frame for 3 elements lead interior graphite Simon 82 Nature

REF. 82837-38



BASIC INFORMATION

FINISH

Graphite

COMPATIBILITY

Simon 75, Simon 77 and Simon 82 mechanisms

PACKAGING CONTENTS

Frame with 3 elements

ETIM CLASS

EC000007

REMARKS

It is recommended to use the graphite finish for rockers and covers.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

AVAILABLE IN

1, 2, 3 and 4 elements

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INNER FRAME

Graphite

VERSION

3 elements

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009 + UNE 20315-1-1:2009

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053060063

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.255

PRODUCT NET WEIGHT

0.255

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053060063

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

37

PACKAGING WIDTH

127

PACKAGING LENGTH

274

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

0.566

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.255

PACKAGING NET WEIGHT

0.255

PACKAGING WEIGHT UNIT

KGM