

HDMI connector type A female with trim plate black Simon K45

REF. K129B/14



BASIC INFORMATION

DESCRIPTION

The working environments or public spaces increasingly need to have the latest in applications to be able to work quickly and accurately. And also need that are the best and most high quality. That 's why Simon offers us this connector, half element, for HDMI connections. Composed of a module, this connector includes the trim plate with a grey finish in black colour. Its terminal connection is female-female and is available for both surface-mounted and flush mounting. This connector is one of the many mechanisms in the K45 series of Simon. As a HDMI connection, the home Simon, we recommend using a cabling maximum of 5 meters for category 1 patch cords, i.e. transmissions videos up to 720 or 1080i; and up to 12 metres for category 2, for videos with quality 1080i or higher. Simon offers us once again, the best solutions for installations on the market.

FINISH

Black

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

PACKAGING CONTENTS

Female type-A HDMI connector and instruction sheet

ETIM CLASS

EC000018

REMARKS

Maximum wire length recommended; 5 metres for category 1 patch cords (video streaming up to 720p or 1080i) and 12 metres for category 2 patch cords (video streaming at 1080p or higher). For additional information, please read the product instruction sheet

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

FORMAT

HDMI

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

REVISION

+34 2.0

IP RATING

IP20

RAL

7021

CONNECTOR TYPE

HDMI

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

1/2 element

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45
and specific Simon 500 Cima
using adaptor (ref.50012088-
038)

INSTALLATION TYPE

Suitable for surface and flush
mounting

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436064829

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8426436064829

PACKAGING VOLUME

0.105

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

50

PACKAGING GROSS WEIGHT

0.026

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

42

PACKAGING NET WEIGHT

0.025

UNITARY PACKAGING GROSS
WEIGHT

0.025

PACKAGING LENGTH

50

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.025