T-branch accessory for Cablomax aluminum trunking

REF. **TKA0061/8**



BASIC INFORMATION

DESCRIPTION

Accessory for Cablomax aluminum channel measuring 130x55 mm. It allows for 90° branches from a channel without interrupting its continuity. Made with high-quality thermoplastic materials and in aluminum finish for proper integration with the channel.

FINISH

Aluminium

MATERIAL

Aluminium

ETIM CLASS

EC000865

REMARKS

The product installation can be supplemented with related accessories, as well as combined with K45 functions.

TECHNICAL INFORMATION

IK CLASSIFICATION
07

IP RATING
IP4X

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

REMOVAL OF COVER
Only with tool

REMOVAL OF THE FRAME
Only with tool

INSTALLATION TYPE
On Wall and Ceiling

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436033672

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
3280200

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.384

PRODUCT NET WEIGHT
0.384

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436033672

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
70

PACKAGING WIDTH
142

PACKAGING LENGTH
330

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
3280200

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.384

PACKAGING NET WEIGHT
0.384

PACKAGING WEIGHT UNIT
KGM