

Surface-mount wall box base for 1 element white Simon K45

REF. R250/9



BASIC INFORMATION

FINISH

White

COMPATIBILITY

Simon K45 functions

ETIM CLASS

EC002328

MATERIAL

Plastic

PACKAGING CONTENTS

Surface-mounted box base,
fixing studs and screws

REMARKS

Possible access for cabling via 20x30 or 20x50 mm mini-trunking using adaptors (refs. SCM21F/9 and SCM31F/9 respectively)

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INSULATION RESISTANCE (V-MΩ)

>5M? At 500 V

NUMBER OF MODULES

1 wide module

AVAILABLE IN

1 and 2 elements

IP RATING

IP4X

NUMBER OF PRE-PUNCHED HOLES 30 X 50 MM

1

DIELECTRIC STRENGTH

Without perforation or
contournement with 2000 V at
50H during 1 minute

KIT AVAILABILITY

No

RAL

9003

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

MAINTENANCE

Clean with a soft, dry cloth. Do
not use abrasive cloths or
cleaning products that contain
chlorine.

NUMBER OF SIDE ENTRANCES

1

VERSION

1 element

HEAT RESISTANCE (°C)

+70°C (in accordance with IEC
60670-1:2006)

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

TYPE OF FASTENING

Using screws supplied or using
the housing in combination with
the universal flush-mount box

INSTALLATION DIRECTION

Horizontal, Vertical

EXTINGUISHING (°C)

+650 °C / 30 seconds (GWFI
according rule IEC 60695-2-11)

REMOVAL OF THE FRAME

Only with tool

INSTALLATION TYPE

Suitable for install in surface
walls

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.065

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

3325000

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436017405

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0.3

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.62

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING HEIGHT

100

PACKAGING NET WEIGHT

0.65

UNITARY PACKAGING GROSS
WEIGHT

0.065

PACKAGING WIDTH

190

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

175