

**Set of 2 push buttons 10A 250V~ (2 inputs+2 outputs)
mech.blinds without latching sys. with fast terminal
connection ivory Simon 31**

REF. 31396-31



BASIC INFORMATION

DESCRIPTION

Unit of two push buttons with 2 inputs and 2 outputs for blinds, in ivory colour and without latching system (so it requires a control device), belonging to the Simon 31 series. It has a quick terminal connection and a rocker operation and a voltage of 250V and an current of 10 AM. It has 2 modules and supports a cable section of 1.5 to 2.5 mm, with a stripping of 11 mm and can be installed in rooms with a temperature located between 5 and 40°C, although it 's true that works also perfectly in places with a temperature of -25 to 50°C, approximately. Its design is in compliance with regulations UNE-EN 60669-1:2002 + A1:2003 + A2:2009 and is manufactured with metal components with halogen-free thermoplastic insulation and trim made of thermoplastic. It measures 64x65 mm and is easily cleaned by wiping it gently with a soft cloth moistened in soapy water.

FINISH

Ivory

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000029

MATERIAL

Thermoplastic

PACKAGING CONTENTS

Mechanism with rocker

REMARKS

Mechanism with no latching. Requires control device.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP21

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

LATCH TYPE

Non-latching

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Double

INDICATOR FUNCTION

No

TYPE OF MECHANISM

Pivoting

VOLTAGE (V~)

250 V~

CURRENT (A)

10 AX

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

11

INSTALLATION TYPE

Suitable for surface and flush
mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
3026595

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.095

PRODUCT NET WEIGHT
0.095

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8421053052075

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
83

PACKAGING WIDTH
165

PACKAGING LENGTH
221

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
3026595

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.95

PACKAGING NET WEIGHT
0.95

PACKAGING WEIGHT UNIT
KGM