


**Angled voice and data plate with dust cover 1 element for  
1 RJ45 aluminium Simon 500 Cima**

REF. 50000081-033



## BASIC INFORMATION

### DESCRIPTION

Simon offers through its 500 Cima range, the best alternative in its features, for installation through direct snap-fit. The RJ45 connector is clipped directly onto the plate without the need for tools or screws. This is a plate that is suitable for the data and multimedia module, and does not require adaptors. It also offers the inestimable advantage that it uses the same plate for all types of housings: Snap-fit horizontal and vertical. Absolute compatibility with all other products of the Simon brand. Its modularity and capacity, combined with overall security, give it a considerable competitive advantage over the other brands that are offered in this market. Angled voice and data plate with dust cover and 1 element for 1 RJ45. Aluminium finish of the Simon 500 Cima range. Compatible connectors: RJ45. Suitable for combined MD module. Single angled plate. Plate for 1 and 2 RJ45. The plate includes clips for fastening in vertical and horizontal housings without the need for an adaptor. Dimensions 50 x 50 x 21 mm Halogen-free thermoplastic material guarantees no flame propagation in case of fire and low toxicity in case of smoke. Resistant to corrosion and extreme temperatures. Easy maintenance, it is recommended not to use cleaners that contain chlorine.

### FINISH

Aluminium

### PACKAGING CONTENTS

Angled voice and data plate with dust cover

### ETIM CLASS

EC000018

### COMPATIBILITY

Simon 500 Cima enclosures

### REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### FORMAT

RJ45

### NUMBER OF MODULES

1

### AVAILABLE IN

Plate for 1 and 2 RJ45

### IP RATING

IP20

### PLATE TYPE

Angled

### RJ45 CONNECTORS

Not included in voice and data plate

### KIT AVAILABILITY

No

### RJ45 ADAPTOR MODULE

Not included in voice and data plate

### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### SNAP-FIT RJ45 PLATES

Corresponding to combined MD module

### DUST PROTECTION

Yes

### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

### SNAP-FIT TYPE

Corresponding to combined MD module

### DUST SHUTTER

Yes

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

### INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

### INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

### REMOVAL OF THE PLATE

Only with tool

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018\*1

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT 0	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING WIDTH 0	PACKAGING EAN 8421053095126	PACKAGING VOLUME 1.472
UNITARY PACKAGING LENGTH 0	UNITS CONTAINED PACKAGING 20	PACKAGING VOLUME UNIT DMQ
UNITARY PACKAGING VOLUME 0	PACKAGING HEIGHT 88	PACKAGING GROSS WEIGHT 0
UNITARY PACKAGING GROSS WEIGHT 0.014	PACKAGING WIDTH 123	PACKAGING NET WEIGHT 0.28
PRODUCT NET WEIGHT 0.014	PACKAGING LENGTH 136	PACKAGING WEIGHT UNIT KGM

