Trim plate for 1 BNC connector for 1 element white Simon K45

REF. **K102/9**



BASIC INFORMATION

DESCRIPTION

This is the perfect complement trim plate for 1 BNC connector for one element of the series of Simon products, K45, since it is specially designed for it. It has dimensions of 45 x 22.5 millimetres and 8.5 millimetres of depth. Its installation is very simple and allows the user to carry it out by means of flush mounted or directly on the surface-mounted, so that it is a highly versatile product. It is necessary to highlight that the plate includes housing for fastening the connector with a rear screw, which simplifies even more to its installation. The product is presented in a traditional white colour, which is perfect for connectors of the same colour, giving uniformity appearance to the final set, which is integrate easily in any room where it is placed. The manufacturing material of the plate is halogen-free thermoplastic, which contributes to the no-propagation of the spread in case of fire and reduces the toxicity of smoke. This provides security and great resistance to the product.

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

PACKAGING CONTENTS

Plate for 1 BNC connector

ETIM CLASS

EC000018

REMARKS

The plate includes housings for fastening the connector with a rear screw. Connector not included (to be purchased separately).

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
Version with 1 75-Ohm BNC connector with soldered connection

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60° C

FORMAT
BNC

INDICATOR FUNCTION
No

IP RATING
IP20

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60° C

NUMBER OF MODULES
Four

RAL
9003

VERSION
Single

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING
Fixing by direct snap-fit, no tools needed

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

INSTALLATION DIRECTION
Vertical according to the direction of the mechanisms

INSTALLATION TYPE
Suitable for surface and flush mounting

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0.3

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.006

PRODUCT NET WEIGHT
0.006

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436038134

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
72

PACKAGING WIDTH
72

PACKAGING LENGTH
105

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
544320

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.12

PACKAGING NET WEIGHT
0.12

PACKAGING WEIGHT UNIT
KGM