

Front kit for 1 element with 1 Simon iO switch gloss black Simon 100

REF. 10020112-138



BASIC INFORMATION

DESCRIPTION

Front kit designed to occupy 1 element, with 1 Simon iO switch. It is a device made of black and bright finish that is part of the Simon 100 and, therefore, is compatible with all the elements of that range.

This kit works with an intensity of 10 AX, it has a cut type of emborning cutting bypass and a type of operation by means of a rocker. It is a type of product with measures of 85.5x83.5mm.

For proper maintenance of this device, a temperature range of 5 to 40° C must be guaranteed for its operation and a temperature range of -25 to 50° C for storage.

With regard to its installation, this device can be placed both vertically and horizontally. It has been made to be marketed in the EC under regulations 2014/35 / UE LVD + directive 2014/30 / UE EMC + directive 2011/65 / UE RoHS + EN 50581: 2012 + EN 60669-2- 1: 2004 + EN 60669-2-1: 2004 A1: 2009 + EN 60669-2-1: 2004 A12: 2010.

FINISH

Gloss black

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

1 element

INDICATOR FUNCTION

Yes

CURRENT (A)

10 AX

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Push button rocker switch

MONOBLOCK

No

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

1 element

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CLAW

INSTALLATION DIRECTION

KIT INSTALLATION DIRECTION

Horizontal, Vertical

Vertical and horizontal

INSTALLABLE IN FLUSH MOUNT
JUNCTION BOX

INSTALLATION TYPE

TYPE OF TERMINAL

Universal

Suitable for flush mounting

CONNECTION - FUNCTION 1

1 click connection (1 click®)

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053201411

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.064

PRODUCT NET WEIGHT

0.064

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053201411

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

10

PACKAGING WIDTH

84

PACKAGING LENGTH

84

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

70560

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.064

PACKAGING NET WEIGHT

0.064

PACKAGING WEIGHT UNIT

KGM