

USB charger 5V DC 2.1A type A female ivory Simon 27 Play

REF. 2701097-031



BASIC INFORMATION

FINISH

Ivory

PACKAGING CONTENTS

USB charger and instruction
sheet

ETIM CLASS

EC002949

COMPATIBILITY

Simon 27 Play mechanisms

REMARKS

Available in 3 finishes. It is recommended to choose a frame the same colour as the selected plate.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

POWER SUPPLY (V~)

127/230 V~

CABLE SECTION ADMITTED (MM)

1,5 mm to 2,5 mm

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

Half element

USB CURRENT (A)

2,1 A

FORMAT

USB

TYPE OF MECHANISM

Insertion

USB VOLTAGE (V~)

5 V~

INDICATOR FUNCTION

No

NUMBER OF MODULES

1 module

VERSION

Single

CURRENT (A)

OPERATING TEMPERATURE RANGE (°C)

5 - 35 °C

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053194980

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053194980

PACKAGING VOLUME

0

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

0

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

0

PACKAGING NET WEIGHT

0.055

UNITARY PACKAGING GROSS
WEIGHT

0.055

PACKAGING LENGTH

0

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.055