

## Front face kit for 2 elements with 2 2P sockets, 2 integrated matt white USB chargers Simon 100

REF. 10020229-230



### BASIC INFORMATION

#### FINISH

Matt white

#### PACKAGING CONTENTS

Mechanism and instructions

#### ETIM CLASS

EC000007

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### TYPE OF MECHANISM

Insertion

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### VOLTAGE (V~)

230 V~

## INSTALLATION AND MAINTENANCE

### CLAW

### INSTALLATION DIRECTION

Horizontal

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

universal

### INSTALLATION TYPE

Suitable for flush mounting

## LOGISTICS INFORMATION

UNITARY EAN CODE

8421053232965

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING MEASUREMENT  
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053232965

PACKAGING VOLUME

329.406

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

CMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

25.3

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

84

PACKAGING NET WEIGHT

0.082

UNITARY PACKAGING GROSS  
WEIGHT

0.082

PACKAGING LENGTH

155

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.082