Euro-American plug shiny white Simon 100

REF. **10000432-039**



BASIC INFORMATION

DESCRIPTION

The Simon 100 series, designed to commemorate one hundred years of Simon's existence, features traditional mechanisms, but adaptable to modernity. The Schuko socket with mechanisms in its Individual version is another example. With part number 10000432-039. It has a connection terminal of 250V, a current of 16 amps and a voltage of 250 V. Click on the terminals to operate with a single element. Compatible with a cable cross section of 1.5 to 2.5 mm. metal components that are presented in a halogen-free, high heat resistance, halogen-free thermoplastic.

COMPATIBILITY

Frames Simon 100

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000125

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 1,5 to 2,5 mm

NUMBER OF POSSIBLE ELEMENTS
1 element

FORMAT
Schuko

INDICATOR FUNCTION
No

CURRENT (A)
16 A

IP RATING
IP20

TYPE OF MECHANISM
Insertion

MONOBLOCK
No

NOMINAL VOLTAGE (V~)
250 V~

OPERATING TEMPERATURE RANGE (°C)
0 - 40 °C

POWER SUPPLY (V~)
250 V~

STORAGE TEMPERATURE RANGE (°C)
-25 - 75 °C

VERSION
Unique

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
universal

INSTALLATION TYPE
Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
1 click connection (1 click®)

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + EN 50581:2012 + IEC 60884-1 Ed 3.2

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.047

PRODUCT NET WEIGHT
0.047

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053133682

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
65

PACKAGING WIDTH
125

PACKAGING LENGTH
195

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
1584375

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
4.68

PACKAGING NET WEIGHT
0.47

PACKAGING WEIGHT UNIT
KGM


L
N
TT
N
N
simon
16/250~
100004XX-039
P
P
P