

## Swiss socket outlet 10A with screw terminal connection 2 elements white K45

REF. K08/9



### BASIC INFORMATION

#### FINISH

White

#### MATERIAL

Plastic

#### COMPATIBILITY

Simon K45 enclosures for installation on wall, floor, ceiling, and furniture, and Simon 500 Cima enclosures (requires combining with the K45 to 500 Cima adapter ref. 50012088-030).

#### ETIM CLASS

EC000125

## TECHNICAL INFORMATION

### FORMAT

Swiss

### IP RATING

IP20

### RAL

9003

### CURRENT (A)

10 A

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

12

### EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

### REMOVAL OF THE SOCKET

Only with tool

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT  
0

UNITARY PACKAGING WEIGHT  
UNIT  
KGM

PACKAGING MEASUREMENT  
UNIT  
MMT

UNITARY PACKAGING WIDTH  
0

PACKAGING EAN  
8426436052369

PACKAGING VOLUME  
1225000

UNITARY PACKAGING LENGTH  
0

UNITS CONTAINED PACKAGING  
10

PACKAGING VOLUME UNIT  
MMQ

UNITARY PACKAGING VOLUME  
0

PACKAGING HEIGHT  
50

PACKAGING GROSS WEIGHT  
0.47

UNITARY PACKAGING GROSS  
WEIGHT  
0.047

PACKAGING WIDTH  
100

PACKAGING NET WEIGHT  
0.3

PRODUCT NET WEIGHT  
0.03

PACKAGING LENGTH  
245

PACKAGING WEIGHT UNIT  
KGM

